

L Number	Hits	Search Text	DB	Time stamp
1	4	6346688, "6696670"	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/06/21 10:26
2	3769	(219/541,267,544,270).CCLS.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/06/21 10:27
3	0	(123/145).CCLS.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/06/21 10:28
4	663	(123/145A).CCLS.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/06/21 10:28
5	282	(123/145R).CCLS.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/06/21 10:29
6	4451	((219/541,267,544,270).CCLS.) or ((123/145A).CCLS.) or ((123/145R).CCLS.)	USPAT; US-PGPUB; EPO; JPO; DERWENT	2004/06/21 10:30
7	783	((((219/541,267,544,270).CCLS.) or ((123/145A).CCLS.) or ((123/145R).CCLS.)) and glow near2 plug	USPAT; US-PGPUB; EPO; JPO; DERWENT	2004/06/21 10:30
8	58	(((((219/541,267,544,270).CCLS.) or ((123/145A).CCLS.) or ((123/145R).CCLS.)) and glow near2 plug) and hexagon\$3	USPAT; US-PGPUB; EPO; JPO; DERWENT	2004/06/21 11:22
9	52	((((((219/541,267,544,270).CCLS.) or ((123/145A).CCLS.) or ((123/145R).CCLS.)) and glow near2 plug) and hexagon\$3) and (thread\$3 or screw\$3)	USPAT; US-PGPUB; EPO; JPO; DERWENT	2004/06/21 10:32
10	15	((((((219/541,267,544,270).CCLS.) or ((123/145A).CCLS.) or ((123/145R).CCLS.)) and glow near2 plug) and hexagon\$3) and (thread\$3 or screw\$3)) and groov\$3	USPAT; US-PGPUB; EPO; JPO; DERWENT	2004/06/21 11:15
11	37	((((((219/541,267,544,270).CCLS.) or ((123/145A).CCLS.) or ((123/145R).CCLS.)) and glow near2 plug) and hexagon\$3) and (thread\$3 or screw\$3)) not ((((((219/541,267,544,270).CCLS.) or ((123/145A).CCLS.) or ((123/145R).CCLS.)) and glow near2 plug) and hexagon\$3) and (thread\$3 or screw\$3)) and groov\$3)	USPAT; US-PGPUB; EPO; JPO; DERWENT	2004/06/21 10:37
12	0	(((((219/541,267,544,270).CCLS.) or ((123/145A).CCLS.) or ((123/145R).CCLS.)) and glow near2 plug) and hexagon\$3 with 5/16	USPAT; US-PGPUB; EPO; JPO; DERWENT	2004/06/21 11:12
13	0	((((219/541,267,544,270).CCLS.) or ((123/145A).CCLS.) or ((123/145R).CCLS.)) and hexagon\$3 with 5/16	USPAT; US-PGPUB; EPO; JPO; DERWENT	2004/06/21 11:11
14	0	(((((219/541,267,544,270).CCLS.) or ((123/145A).CCLS.) or ((123/145R).CCLS.)) and hexagon\$3 with dimension with size	USPAT; US-PGPUB; EPO; JPO; DERWENT	2004/06/21 11:03

15	2	(((219/541,267,544,270).CCLS.) or ((123/145A).CCLS.) or ((123/145R).CCLS.)) and hexagon\$3 with dimension	USPAT; US-PGPUB; EPO; JPO; DERWENT	2004/06/21 10:48
16	1	(((219/541,267,544,270).CCLS.) or ((123/145A).CCLS.) or ((123/145R).CCLS.)) and hexagon\$3 with size	USPAT; US-PGPUB; EPO; JPO; DERWENT	2004/06/21 10:49
17	3	(((219/541,267,544,270).CCLS.) or ((123/145A).CCLS.) or ((123/145R).CCLS.)) and hexagon\$3 with inch\$3	USPAT; US-PGPUB; EPO; JPO; DERWENT	2004/06/21 11:07
18	6	((((219/541,267,544,270).CCLS.) or ((123/145A).CCLS.) or ((123/145R).CCLS.)) and glow near2 plug) and hexagon\$3) not ((((((219/541,267,544,270).CCLS.) or ((123/145A).CCLS.) or ((123/145R).CCLS.)) and glow near2 plug) and hexagon\$3) and (thread\$3 or screw\$3))	USPAT; US-PGPUB; EPO; JPO; DERWENT	2004/06/21 10:55
19	0	(((219/541,267,544,270).CCLS.) or ((123/145A).CCLS.) or ((123/145R).CCLS.)) and hexagon\$3 same (dimension with size)	USPAT; US-PGPUB; EPO; JPO; DERWENT	2004/06/21 11:04
20	5	(((219/541,267,544,270).CCLS.) or ((123/145A).CCLS.) or ((123/145R).CCLS.)) and hexagon\$3 same number	USPAT; US-PGPUB; EPO; JPO; DERWENT	2004/06/21 11:04
21	8	(((219/541,267,544,270).CCLS.) or ((123/145A).CCLS.) or ((123/145R).CCLS.)) and hexagon\$3 same inch\$3	USPAT; US-PGPUB; EPO; JPO; DERWENT	2004/06/21 11:05
22	193	plug and hexagon\$3 with inch\$3	USPAT; US-PGPUB; EPO; JPO; DERWENT	2004/06/21 11:07
23	12	spark near plug and hexagon\$3 with inch\$3	USPAT; US-PGPUB; EPO; JPO; DERWENT	2004/06/21 11:12
24	0	(((219/541,267,544,270).CCLS.) or ((123/145A).CCLS.) or ((123/145R).CCLS.)) and hexagon\$3 with 1/4	USPAT; US-PGPUB; EPO; JPO; DERWENT	2004/06/21 11:11
25	0	(((219/541,267,544,270).CCLS.) or ((123/145A).CCLS.) or ((123/145R).CCLS.)) and hexagon\$3 with 3/8	USPAT; US-PGPUB; EPO; JPO; DERWENT	2004/06/21 11:11
26	0	(((219/541,267,544,270).CCLS.) or ((123/145A).CCLS.) or ((123/145R).CCLS.)) and hexagon\$3 with 1/2	USPAT; US-PGPUB; EPO; JPO; DERWENT	2004/06/21 11:12
27	0	(((219/541,267,544,270).CCLS.) or ((123/145A).CCLS.) or ((123/145R).CCLS.)) and hexagon\$3 with 7/16	USPAT; US-PGPUB; EPO; JPO; DERWENT	2004/06/21 11:12
28	0	((((219/541,267,544,270).CCLS.) or ((123/145A).CCLS.) or ((123/145R).CCLS.)) and glow near2 plug) and hexagon\$3 same 5/16	USPAT; US-PGPUB; EPO; JPO; DERWENT	2004/06/21 11:12
29	0	spark near plug and hexagon\$3 with 5/16	USPAT; US-PGPUB; EPO; JPO; DERWENT	2004/06/21 11:24

30	0	spark near plug and hexagon with 5/16	USPAT; US-PGPUB; EPO; JPO; DERWENT	2004/06/21 11:32
31	0	spark near plug and hexagon same 5/16	USPAT; US-PGPUB; EPO; JPO; DERWENT	2004/06/21 11:13
32	1	(((((219/541,267,544,270).CCLS.) or ((123/145A).CCLS.) or ((123/145R).CCLS.)) and glow near2 plug) and hexagon\$3) and (thread\$3 or screw\$3)) and 5/16	USPAT; US-PGPUB; EPO; JPO; DERWENT	2004/06/21 11:17
33	0	(((((219/541,267,544,270).CCLS.) or ((123/145A).CCLS.) or ((123/145R).CCLS.)) and glow near2 plug) and hexagon\$3) and (thread\$3 or screw\$3)) and threads with 5/16	USPAT; US-PGPUB; EPO; JPO; DERWENT	2004/06/21 11:18
34	0	(((((219/541,267,544,270).CCLS.) or ((123/145A).CCLS.) or ((123/145R).CCLS.)) and glow near2 plug) and hexagon\$3) and (thread\$3 or screw\$3)) and threads with inch\$2	USPAT; US-PGPUB; EPO; JPO; DERWENT	2004/06/21 11:18
35	0	((((219/541,267,544,270).CCLS.) or ((123/145A).CCLS.) or ((123/145R).CCLS.)) and glow near2 plug) and threads with inch\$2	USPAT; US-PGPUB; EPO; JPO; DERWENT	2004/06/21 11:18
36	1	((((219/541,267,544,270).CCLS.) or ((123/145A).CCLS.) or ((123/145R).CCLS.)) and threads with inch\$2	USPAT; US-PGPUB; EPO; JPO; DERWENT	2004/06/21 11:28
37	0	(((((219/541,267,544,270).CCLS.) or ((123/145A).CCLS.) or ((123/145R).CCLS.)) and threads with inch\$2) and hexagon\$3	USPAT; US-PGPUB; EPO; JPO; DERWENT	2004/06/21 11:22
38	0	spark near plug and threads with 5/16	USPAT; US-PGPUB; EPO; JPO; DERWENT	2004/06/21 11:24
39	0	spark near plug and threads with inch@2	USPAT; US-PGPUB; EPO; JPO; DERWENT	2004/06/21 11:25
40	22	spark near plug and threads with inch\$2	USPAT; US-PGPUB; EPO; JPO; DERWENT	2004/06/21 11:25
41	19	(((((219/541,267,544,270).CCLS.) or ((123/145A).CCLS.) or ((123/145R).CCLS.)) and threads with diameter	USPAT; US-PGPUB; EPO; JPO; DERWENT	2004/06/21 11:31
42	0	(((((219/541,267,544,270).CCLS.) or ((123/145A).CCLS.) or ((123/145R).CCLS.)) and threads with diameter with inch\$2	USPAT; US-PGPUB; EPO; JPO; DERWENT	2004/06/21 11:32
43	0	spark near plug and diametyer with 5/16	USPAT; US-PGPUB; EPO; JPO; DERWENT	2004/06/21 11:32
44	0	spark near plug and diametyer with inches	USPAT; US-PGPUB; EPO; JPO; DERWENT	2004/06/21 11:32
45	0	spark near plug and diametyer with inche	USPAT; US-PGPUB; EPO; JPO; DERWENT	2004/06/21 11:32

46	0	spark near plug and diametyer with inch	USPAT; US-PGPUB; EPO; JPO; DERWENT	2004/06/21 11:32
47	578	spark near plug and diameter with inch	USPAT; US-PGPUB; EPO; JPO; DERWENT	2004/06/21 11:33
48	21	spark near plug and diameter with 5/16	USPAT; US-PGPUB; EPO; JPO; DERWENT	2004/06/21 11:36
49	6	(((219/541,267,544,270).CCLS.) or ((123/145A).CCLS.) or ((123/145R).CCLS.)) and diameter with 5/16	USPAT; US-PGPUB; EPO; JPO; DERWENT	2004/06/21 11:38
50	174	(((219/541,267,544,270).CCLS.) or ((123/145A).CCLS.) or ((123/145R).CCLS.)) and diameter with inch\$2	USPAT; US-PGPUB; EPO; JPO; DERWENT	2004/06/21 11:38
51	72	(((219/541,267,544,270).CCLS.) or ((123/145A).CCLS.) or ((123/145R).CCLS.)) and diameter near inch\$2	USPAT; US-PGPUB; EPO; JPO; DERWENT	2004/06/21 11:39